

The delineation between early *H. heidelbergensis* and *H. erectus* is also unclear.^{[8][17][18]}

<i>Homo heidelbergensis</i>											
Temporal range: 0.7–0.2 Ma											
PreЄ	Є	O	S	D	C	P	T	J	K	PgN	
Middle Pleistocene											
											
Cranium 5 (skull with jawbone) from Sima de los Huesos (cast at Natural History Museum, London)											
Scientific classification 											
Kingdom:	Animalia										
Phylum:	Chordata										
Class:	Mammalia										
Order:	Primates										
Suborder:	Haplorhini										
Infraorder:	Simiiformes										
Family:	Hominidae										
Subfamily:	Homininae										
Tribe:	Hominini										
Genus:	<i>Homo</i>										
Species:	† <i>H. heidelbergensis</i>										
Binomial name											
† <i>Homo heidelbergensis</i>											

Contents

Taxonomy

Research history
Classification

Morphology

Behavior

Language

Pathology

See also

Notes

References

Further reading

External links

Schoetensack, 1908

Synonyms

† *Homo rhodesiensis*
(Woodward, 1921)

Taxonomy

Research history



Mauer 1, the type specimen



The *Ciampate del Diavolo* near the extinct Roccamonfina volcano in Italy, fossilised hominid footprints dated to around 350,000 years ago and attributed to *Homo heidelbergensis*.

The type specimen, Mauer 1 (a jawbone), was discovered by worker Daniel Hartmann in Mauer, to the southeast of Heidelberg, Germany, and was described in 1907 by German anthropologist Otto Schoetensack. He noted a lack of a distinct chin, but conceded that it had clearly belonged to a human form due to the humanlike teeth.^[19] More fossils were subsequently found in Steinheim an der Murr, Germany (the Steinheim skull); Arago, France (Tautavel Man); Petalona, Greece; and Ciampate del Diavolo, Italy.

In 1921, a skull, Kabwe 1, was discovered by Swiss miner Tom Zwiglaar in Kabwe, Zambia (Zambia at the time was called Northern Rhodesia), and was tentatively assigned to a new species, *H. rhodesiensis*, by English palaeontologist Arthur Smith Woodward.^[20] Kabwe 1 dates to around 300,000 years ago.^[21] In 1976, the 600,000 year old Bodo cranium was discovered in the Middle Awash, Ethiopia, but was classified into *H. heidelbergensis* as *H. rhodesiensis* was beginning to fall out of favour.^{[22][23]} The 400,000 year old Tanzanian Ndutu cranium has been classified as an "archaic *H. sapiens*".^[24] The South African Saldanha cranium, or Elandsfontein cranium, discovered in 1954 was assigned to *H. heidelbergensis*.^[25]

The Chinese Dali Man and Maba Man could represent Asian *H. heidelbergensis*.

In 1992, the 350,000 year old Sima de los Huesos site in the Sierra de Atapuerca in northern Spain was discovered, which has since yielded 5,500 bones belonging to perhaps 32 individuals, about 90% of known *H. heidelbergensis* remains. These individuals are thought to represent the immediate ancestors to Neanderthals or are themselves


early Neanderthals.^[26] In 1994, Boxgrove Man was discovered near the English Channel in association with hundreds of hand axes dating to 524–478,000 years ago.^[27]

Classification

H. heidelbergensis is generally considered to have been the direct ancestor to modern humans^[2] (though African members are alternatively classified as *H. rhodesiensis* or archaic *H. sapiens*^{[28][29][24]}), Neanderthals,^{[30][2]} and Denisovans.^[31] This would make *H. heidelbergensis* a chronospecies.^[32] *H. heidelbergensis* has also been described as a potential polytypic species, with different populations possibly being sufficiently different enough to qualify as being different subspecies.^[33] The transitional forms for both species is obscured by a large gap in the fossil record about 400–300,000 years ago.^[1] Thus, the timing of the replacement of *H. heidelbergensis* by descendant species is generally a matter of convention.^[30]

Similarly, the timing of the derivation of *H. heidelbergensis* from an ancestor species is also unclear.^[34] The oldest identified *H. heidelbergensis* fossils date to about 600,000 years ago. Stone tools discovered in 2005 from Pakefield, Suffolk, indicate human activity in England 700,000 years ago, and at the time these tools were assumed to have been created by a transitional form between *H. heidelbergensis* and the older European human *H. antecessor*.^{[35][36][37][38]} However, enamel proteome analysis suggests that *H. antecessor* is not ancestral to *H. heidelbergensis*, but closely related nonetheless.^[39] *H. heidelbergensis* may instead derive from African or European *H. erectus*, which also existed contemporaneously.

Until the 1990s, *H. heidelbergensis* was commonly classified as a subspecies of *H. erectus* (*H. e. heidelbergensis*). With the discovery of more complete remains, *H. heidelbergensis* has since become accepted as a unique species.^{[40][41]} The paleontology institute at Heidelberg University, where the type specimen has been kept since 1908, changed the label from the subspecies to the species classification in 2015.^[42]



Replica of the Kabwe 1 skull



"Miguelón" from Sima de los Huesos

Morphology



Reconstruction of Kabwe 1 (left) and a Sima de los Huesos individual (right) by Élisabeth Daynès

The average brain capacity of 10 *H. heidelbergensis* specimens from across Africa and Eurasia was 1,206 cc (73.6 cu in).^[43] Kabwe 1 has been estimated at 1,230 cm³ (75 cu in).^[44] For comparison, the average brain capacity for contemporaneous *H. erectus* was 973 cc (59.4 cu in),^[43] and modern humans 1,270 cc (78 cu in) for males and 1,130 cc (69 cu in) for females.^[45]

Male *H. heidelbergensis* averaged about 175 cm (5 ft 9 in) tall and 62 kg (136 lb), and females 1.57 m (5 ft 2 in) and 51 kg (112 lb).^[46] An analysis of 27 limb bones Sima de los Huesos calculated an average size of about 170 cm (5 ft 7 in) in height, which is similar to the average for Neanderthals and pre-industrial modern humans.^[47] According to South African palaeoanthropologist Lee Rogers Berger, tibiae and femora remains indicate that the average height 400–350,000 years ago reached 2.1 m (7 ft) during a grassland expansion which supported larger prey items.^[48]

Behavior

A biface nicknamed *Excalibur* from Sima de los Huesos^[49] is hypothesised to have been a grave good, which, if correct, would be the oldest evidence of funerary practices.^{[49][50][51]}

The morphology of the outer and middle ear suggests they had an auditory sensitivity similar to modern humans. They were probably able to differentiate between many different sounds.^[52] Dental wear analysis suggests they were as likely to be right-handed as modern people.^[53]

An archeological site in Schöningen, Germany contained eight exceptionally-well preserved roughly-400,000-year-old spears for hunting, and various other wooden tools. Five-hundred-thousand-year-old hafted stone points used for hunting are reported from Kathu Pan 1 in South Africa, tested by way of use-wear replication.^[54] This find could mean that modern humans and Neanderthals inherited the stone-tipped spear, rather than developing the technology independently.^{[54][55][56]}

No forms of art have been uncovered. Red ochre, a mineral that can be used to mix a red pigment which is useful as a paint, has been found at Terra Amata in France and Bečov in the Czech Republic, but the dating of these pigments to the Middle Pleistocene is contested.^[57]

The Schöningen spears are eight wooden throwing spears, dated to before 300,000 years ago, discovered between 1994 and 1998 in the open-cast lignite mine, in Schöningen, county Helmstedt, Germany, together with thousands of animal bones. They are regarded as the first direct evidence for active hunting by *H. heidelbergensis* (pre-Neanderthals).^{[58][59][60]}

Language

Steven Mithen^[61] believes that *H. heidelbergensis*, like its descendant *H. neanderthalensis*, acquired a pre-linguistic system of communication.

Homo heidelbergensis is thought to have been the first ancestor of modern humans not to have air sacs, which are laryngeal diverticula involved in vocalization. The loss of air sacs may have contributed to humans' ability to develop vocal language. Ancestors such as *Australopithecus afarensis* did have air sacs, as do other great apes.^[62] Furthermore, there is evidence that *Homo heidelbergensis* was right-handed. Handedness is associated with the development of language among hominins.^[63] Considering this evidence, scientists have hypothesized about the speaking capabilities of the species. A recent study that compared the speech



One of hundreds of handaxes found at Boxgrove


frequency of humans and chimpanzees reported that *H. heidelbergensis* speech abilities more closely resemble those of modern-day humans. More specifically, "the Atapuerca SH hominins show[ed] a bandwidth that [wa]s slightly displaced and considerably extended to encompass the frequencies that contain relevant acoustic information in human speech."^[64]

Pathology

The earliest documented case of odontogenic orbital cellulitis, a severe eye infection that develops from an abscess in the mouth, occurred in *H. heidelbergensis*.^{[66][67]}

See also

- Altamura man
- *Homo cepranensis*
- *Homo rhodesiensis*
- Human timeline
- List of fossil sites (with link directory)
- List of human evolution fossils
- Swanscombe Heritage Park



The skull of the *Homo heidelbergensis* with odontogenic orbital cellulitis^[65]

Notes

1. The fossil range spans about 0.6 to 0.4 Ma; cladistically, *H. heidelbergensis* is estimated to have developed from *H. erectus* (or *H. antecessor*) around 0.8–0.7 Ma, and given rise to *H. neanderthalensis* (and possibly *H. sapiens*) around 0.4–0.3 Ma.
2. "Most, if not all, of the African specimens assigned to *H. rhodesiensis* (*cf heidelbergensis*) seem to predate the divergence between *H. neanderthalensis* and *H. sapiens* [viz., assumed at 0.5 Mya prior to the revision by Meyer et al. 2016]. However, a gap in the fossil record, possibly between 400 and 260 ka, blurs the transition or punctuation event that separated *H. rhodesiensis* and *H. sapiens*."^[1]

References

1. Hublin, J.-J. (2013), "The Middle Pleistocene Record. On the Origin of Neandertals, Modern Humans and Others" in: R. David Begun (ed.), *A Companion to Paleoanthropology*, John Wiley, pp. 517–537 (summary 529–531). (p. 532).
2. Buck, Laura T.; Stringer, Chris B. (2014-03-17). "*Homo heidelbergensis*" (<https://doi.org/10.1016/j.cub.2013.12.048>). *Current Biology*. **24** (6): R214–R215. doi:10.1016/j.cub.2013.12.048 (<https://doi.org/10.1016%2Fj.cub.2013.12.048>). ISSN 0960-9822 (<https://www.worldcat.org/issn/0960-9822>). PMID 24650901 (<https://pubmed.ncbi.nlm.nih.gov/24650901>).
3. Kjærgaard, Peter C. (2014-04-29). "Inventing Homo gardarensis: Prestige, Pressure, and Human Evolution in Interwar Scandinavia". *Science in Context*. **27** (2): 359–383. doi:10.1017/s0269889714000106 (<https://doi.org/10.1017%2Fs0269889714000106>). ISSN 0269-8897 (<https://www.worldcat.org/issn/0269-8897>). PMID 24941795 (<https://pubmed.ncbi.nlm.nih.gov/24941795>).
4. "*Homo heidelbergensis* (600,000 to 100,000 years ago)- Species Description" (<https://www.pb.s.org/wgbh/evolution/humans/humankind/m.html>). WGBH Educational Foundation and Clear Blue Sky Productions, Inc. Retrieved November 29, 2015.

5. "Archaeological Site of Atapuerca" (<https://whc.unesco.org/en/list/989>). UNESCO World Heritage Centre. Retrieved November 29, 2018.
6. "*Homo heidelbergensis*" (<http://www.nhm.ac.uk/nature-online/life/human-origins/early-human-family/homo-heidelbergensis/index.html>). Natural History Museum, London. Retrieved 18 March 2013.
7. "*Homo heidelbergensis*: Evolutionary Tree information" (<http://humanorigins.si.edu/evidence/human-fossils/species/homo-heidelbergensis>). Smithsonian National Museum of Natural History. 2010-02-14. Retrieved 18 March 2013.
8. Mounier, Aurélien; Marchal, François; Condemi, Silvana (2009). "Is *Homo heidelbergensis* a distinct species? New insight on the Mauer mandible". *Journal of Human Evolution*. **56** (3): 219–46. doi:10.1016/j.jhevol.2008.12.006 (<https://doi.org/10.1016%2Fj.jhevol.2008.12.006>). PMID 19249816 (<https://pubmed.ncbi.nlm.nih.gov/19249816>).
9. "Der *Homo heidelbergensis* - Vor etwa 700 000 Jahren taucht der *Homo heidelbergensis* in Afrika auf und wandert dann über eine noch unbekannte Route ebenfalls nach Europa aus..." (<http://www.homoheidelbergensis.de/viewcontent.php?cat=1&catid=12>) Homo heidelbergensis von Mauer e.V. Retrieved November 29, 2015.
10. Lenton, Tim; Watson, Andrew J. (20 January 2011). *Revolutions that Made the Earth* (<https://books.google.com/books?id=8W0VDAAAQBAJ&pg=PA364>). Oxford University Press. p. 364. ISBN 978-0-19-958704-9. Retrieved 7 February 2018.
11. Dusseldorp, Gerrit Leendert (2009). *A View to a Kill: Investigating Middle Palaeolithic Subsistence Using an Optimal Foraging Perspective* (<https://books.google.com/books?id=zER1A3M6MBMC&pg=PA14>). Sidestone Press. p. 14. ISBN 978-90-8890-020-4. Retrieved 7 February 2018.
12. Minelli, Alessandro; Contrafatto, Giancarlo (10 November 2009). *BIOLOGICAL SCIENCE FUNDAMENTALS AND SYSTEMATICS - Volume IV* (<https://books.google.com/books?id=hZrEDAAAQBAJ&pg=PA248>). EOLSS Publications. p. 248. ISBN 978-1-84826-189-1. Retrieved 7 February 2018.
13. "Prehistoric World Hominid Chronology by Peter Kessler *Homo neanderthalis*" (<http://www.historyfiles.co.uk/FeaturesAfrica/HominidChronology6.htm>). Kessler Associates. July 26, 2005. Retrieved December 9, 2015.
14. "What was *Homo heidelbergensis*? - DNA studies on both species indicate that the two were certainly distinct from each other, although related through their common *Homo heidelbergensis* ancestors" (<https://web.archive.org/web/20181228171921/http://www.innovateus.net/earth-matters/what-was-homo-heidelbergensis>). InnovateUs Inc. Archived from the original (<http://www.innovateus.net/earth-matters/what-was-homo-heidelbergensis>) on December 28, 2018. Retrieved November 29, 2015.
15. Meyer, Matthias; Arsuaga, Juan-Luis; de Filippo, Cesare; Nagel, Sarah; Aximu-Petri, Ayinuer; Nickel, Birgit; Martínez, Ignacio; Gracia, Ana; José, Bermúdez de Castro, María; Carbonell, Eudald; Viola, Bence; Kelso, Janet; Prüfer, Kay; Pääbo, Svante (2016). "Nuclear DNA sequences from the Middle Pleistocene Sima de los Huesos hominins". *Nature*. **531** (7595): 504–507. Bibcode:2016Natur.531..504M (<https://ui.adsabs.harvard.edu/abs/2016Natur.531..504M>). doi:10.1038/nature17405 (<https://doi.org/10.1038%2Fnature17405>). PMID 26976447 (<https://pubmed.ncbi.nlm.nih.gov/26976447>).
16. Ewen Callaway, "Oldest ancient-human DNA details dawn of Neanderthals" Sequence of 430,000-year-old DNA pushes back divergence of humans and Neanderthals" (<https://www.nature.com/news/oldest-ancient-human-dna-details-dawn-of-neanderthals-1.19557>), *Nature News*, 14 March 2016.
17. "*Homo heidelbergensis* - The evolutionary dividing line between *Homo erectus* and modern humans was not sharp" (http://anthro.palomar.edu/homo2/mod_homo_1.htm). Dennis O'Neil. Retrieved November 29, 2015.

18. Lieberman, Daniel E.; McBratney, Brandeis M.; Krovitz, Gail (2002). "The evolution and development of cranial form" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC122156>). *Proceedings of the National Academy of Sciences*. **99** (3): 1134–1139. Bibcode:2002PNAS...99.1134L (<https://ui.adsabs.harvard.edu/abs/2002PNAS...99.1134L>). doi:10.1073/pnas.022440799 (<https://doi.org/10.1073%2Fpnas.022440799>). PMC 122156 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC122156>). PMID 11805284 (<https://pubmed.ncbi.nlm.nih.gov/11805284>).
19. "100 years of *Homo heidelbergensis* – life and times of a controversial taxon" (https://web.archive.org/web/20160304103545/http://www.geo.uni-tuebingen.de/fileadmin/website/arbeitsbereich/ufg/palaeoanthropologie/Harvati/085-094_GFU16_Harvati.pdf) (PDF). Max Planck Institute for Evolutionary Anthropology. Archived from the original (http://www.geo.uni-tuebingen.de/fileadmin/website/arbeitsbereich/ufg/palaeoanthropologie/Harvati/085-094_GFU16_Harvati.pdf) (PDF) on March 4, 2016. Retrieved December 9, 2015.
20. Begun, David R., ed. (2012). "The African Origin of *Homo sapiens*" (<https://books.google.com/books?id=oloT1RcFeCwC&pg=PT375&lpg=PT375&dq=kabwe+1+type+specimen>). *A Companion to Paleoanthropology*. John Wiley & Sons. ISBN 9781118332375.
21. Grün, Rainer; Pike, Alistair; McDermott, Frank; Eggins, Stephen; Mortimer, Graham; Aubert, Maxime; Kinsley, Lesley; Joannes-Boyau, Renaud; Rumsey, Michael; Denys, Christiane; Brink, James; Clark, Tara; Stringer, Chris (1 April 2020). "Dating the skull from Broken Hill, Zambia, and its position in human evolution". *Nature*. **580** (7803): 372–375. doi:10.1038/s41586-020-2165-4 (<https://doi.org/10.1038%2Fs41586-020-2165-4>). PMID 32296179 (<https://pubmed.ncbi.nlm.nih.gov/32296179>).
22. "Bodo fossil" (<http://www.britannica.com/EBchecked/topic/1233764/Bodo?anchor=ref892244>). Britannica Encyclopedia. Retrieved December 9, 2015.
23. "Bodo" (<http://humanorigins.si.edu/evidence/human-fossils/fossils/bodo>). Humanorigins.si.edu. 2010-01-30. Retrieved 15 October 2012.
24. Rightmire, G. Philip (2005). "The Lake Ndutu cranium and early *Homo sapiens* in Africa". *American Journal of Physical Anthropology*. **61** (2): 245–254. doi:10.1002/ajpa.1330610214 (<https://doi.org/10.1002%2Fajpa.1330610214>). PMID 6410925 (<https://pubmed.ncbi.nlm.nih.gov/6410925>).
25. Singer, R (September 1954). "The saldanha skull from hopefield, South Africa". *American Journal of Physical Anthropology*. **12** (3): 345–362. doi:10.1002/ajpa.1330120309 (<https://doi.org/10.1002%2Fajpa.1330120309>). PMID 13207329 (<https://pubmed.ncbi.nlm.nih.gov/13207329>).
26. Galway-Witham, J.; Cole, J.; Stringer, C. (2019). "Aspects of human physical and behavioural evolution during the last 1 million years" (<https://doi.org/10.1002/jqs.3137>). *Journal of Quaternary Science*. **34** (6): 355–378. Bibcode:2019JQS....34..355G (<https://ui.adsabs.harvard.edu/abs/2019JQS....34..355G>). doi:10.1002/jqs.3137 (<https://doi.org/10.1002%2Fjqs.3137>).
27. Streeter et al. 2001, Margret (2001). "Histomorphometric age assessment of the Boxgrove 1 tibial diaphysis". *Journal of Human Evolution*. **40** (4): 331–338. doi:10.1006/jhev.2001.0460 (<https://doi.org/10.1006%2Fjhev.2001.0460>). PMID 11312585 (<https://pubmed.ncbi.nlm.nih.gov/11312585>).
28. White, Tim D.; Asfaw, B.; DeGusta, D.; Gilbert, H.; Richards, G. D.; Suwa, G.; Howell, F. C. (2003). "Pleistocene *Homo sapiens* from Middle Awash, Ethiopia". *Nature*. **423** (6491): 742–747. Bibcode:2003Natur.423..742W (<https://ui.adsabs.harvard.edu/abs/2003Natur.423..742W>). doi:10.1038/nature01669 (<https://doi.org/10.1038%2Fnature01669>). PMID 12802332 (<https://pubmed.ncbi.nlm.nih.gov/12802332>).
29. Asfaw, Berhane (2005). "A new hominid parietal from Bodo, middle Awash Valley, Ethiopia". *American Journal of Physical Anthropology*. **61** (3): 367–371. doi:10.1002/ajpa.1330610311 (<https://doi.org/10.1002%2Fajpa.1330610311>). PMID 6412559 (<https://pubmed.ncbi.nlm.nih.gov/6412559>).

30. Dean, D.; Hublin, J.-J.; Holloway, R.; Ziegler, R. (1998). "On the phylogenetic position of the pre-Neandertal specimen from Reilingen, Germany" (<http://pdfs.semanticscholar.org/c512/4104dcc8d911099106295b006e21bf31e60f.pdf>) (PDF). *Journal of Human Evolution*. **34** (5): 485–508. doi:10.1006/jhev.1998.0214 (<https://doi.org/10.1006%2Fjhev.1998.0214>). PMID 9614635 (<https://pubmed.ncbi.nlm.nih.gov/9614635>).
31. Meyer, M.; Arsuaga, J.; de Filippo, C.; Nagel, S. (2016). "Nuclear DNA sequences from the Middle Pleistocene Sima de los Huesos hominins". *Nature*. **531** (7595): 504–507. Bibcode:2016Natur.531..504M (<https://ui.adsabs.harvard.edu/abs/2016Natur.531..504M>). doi:10.1038/nature17405 (<https://doi.org/10.1038%2Fnature17405>). PMID 26976447 (<https://pubmed.ncbi.nlm.nih.gov/26976447>).
32. Stringer, Chris (2012). "Comment: What makes a modern human". *Nature*. **485** (7396): 33–35 [34]. Bibcode:2012Natur.485...33S (<https://ui.adsabs.harvard.edu/abs/2012Natur.485...33S>). doi:10.1038/485033a (<https://doi.org/10.1038%2F485033a>). PMID 22552077 (<https://pubmed.ncbi.nlm.nih.gov/22552077>).
33. Rightmire, G. Philip (1998). "Human Evolution in the Middle Pleistocene: The Role of *Homo heidelbergensis*" (<https://web.archive.org/web/20151013200927/http://archeo.uw.edu.pl/zalaczniki/upload23.pdf>) (PDF). *Evolutionary Anthropology*. **6** (6): 218–227. doi:10.1002/(SICI)1520-6505(1998)6:6<218::AID-EVAN4>3.0.CO;2-6 (<https://doi.org/10.1002%2F%28SICI%291520-6505%281998%296%3A6%3C218%3A%3AAID-EVAN4%3E3.0.CO%3B2-6>). Archived from the original (<http://archeo.uw.edu.pl/zalaczniki/upload23.pdf>) (PDF) on 2015-10-13. Retrieved 2015-10-29.
34. Rightmire, G Philip (1998). "Human Evolution in the Middle Pleistocene: The Role of *Homo heidelbergensis*" (<https://web.archive.org/web/20151013200927/http://archeo.uw.edu.pl/zalaczniki/upload23.pdf>) (PDF). *Evolutionary Anthropology*. **6** (6): 218–227. doi:10.1002/(SICI)1520-6505(1998)6:6<218::AID-EVAN4>3.0.CO;2-6 (<https://doi.org/10.1002%2F%28SICI%291520-6505%281998%296%3A6%3C218%3A%3AAID-EVAN4%3E3.0.CO%3B2-6>). Archived from the original (<http://archeo.uw.edu.pl/zalaczniki/upload23.pdf>) (PDF) on 2015-10-13. Retrieved 2015-10-29.
35. Parfitt, Simon A.; Barendregt, René W.; Breda, Marzia; Candy, Ian; Collins, Matthew J.; Coope, G. Russell; Durbidge, Paul; Field, Mike H.; Lee, Jonathan R. (2005). "The earliest record of human activity in northern Europe". *Nature*. **438** (7070): 1008–12. Bibcode:2005Natur.438.1008P (<https://ui.adsabs.harvard.edu/abs/2005Natur.438.1008P>). doi:10.1038/nature04227 (<https://doi.org/10.1038%2Fnature04227>). PMID 16355223 (<https://pubmed.ncbi.nlm.nih.gov/16355223>).
36. Roebroeks, Wil (2005). "Archaeology: Life on the Costa del Cromer". *Nature*. **438** (7070): 921–2. Bibcode:2005Natur.438..921R (<https://ui.adsabs.harvard.edu/abs/2005Natur.438..921R>). doi:10.1038/438921a (<https://doi.org/10.1038%2F438921a>). PMID 16355198 (<https://pubmed.ncbi.nlm.nih.gov/16355198>).
37. Parfitt, Simon; Stuart, Tony; Stringer, Chris; Preece, Richard (January–February 2006). "700,000 years old: found in Suffolk" (<https://web.archive.org/web/20130928155903/http://www.archaeologyuk.org/ba/ba86/feat1.shtml>). *British Archaeology*. **86**. Archived from the original (<http://www.archaeologyuk.org/ba/ba86/feat1.shtml>) on 2013-09-28.
38. Good, Clare; Plouviez, Jude (2007). *The Archaeology of the Suffolk Coast* (<http://www.english-heritage.org.uk/publications/suffolk-rczas-archaeological-service-report/archaeologyofthesuffolkcoast.pdf>) (PDF). Suffolk County Council Archaeological Service.
39. Welker, F.; et al. (2020). "The dental proteome of *Homo antecessor*". *Nature*. **580** (7802): 235–238. doi:10.1038/s41586-020-2153-8 (<https://doi.org/10.1038%2Fs41586-020-2153-8>). PMID 32269345 (<https://pubmed.ncbi.nlm.nih.gov/32269345>).
40. Mounier, M Aurélien (October 28, 2009). "*Homo heidelbergensis* is supported as a valid taxon. - Validité du taxon *Homo heidelbergensis* Schoetensack, 1908" (http://www.paleoanthro.org/media/dissertations/M_Aurelien_Mounier-abstract.pdf) (PDF). Université de la Méditerranée - Faculté de Médecine de Marseille. Retrieved 2017-11-10.

41. "Die Evolution des Menschen - *Homo heidelbergensis*" (<http://www.evolution-mensch.de/thema/arten/heidelbergensis.php>) (in German). evolution-mensch.de. Retrieved 2017-11-10.
42. "Hierzu zählte noch im Jahr 2010 auch das Geologisch-Paläontologische Institut der Universität Heidelberg, das den Unterkiefer seit 1908 verwahrt und ihn als *Homo erectus heidelbergensis* auswies. Inzwischen wird er jedoch auch in Heidelberg als *Homo heidelbergensis* bezeichnet, siehe" (<http://www.geow.uni-heidelberg.de/einrichtungen/museum/homo.html>) (in German). Sammlung des Instituts für Geowissenschaften. Retrieved November 29, 2015.
43. Rightmire, R. P. (2004). "Brain size and encephalization in early to Mid-Pleistocene *Homo*". *American Journal of Physical Anthropology*. **124** (2): 109–123. doi:10.1002/ajpa.10346 (<https://doi.org/10.1002/ajpa.10346>). PMID 15160365 (<https://pubmed.ncbi.nlm.nih.gov/15160365/>).
44. Rightmire, G Philip (1993). *The Evolution of Homo erectus: Comparative Anatomical Studies of an Extinct Human Species* (<https://books.google.com/books?id=edFD6el38mAC>). Cambridge University Press. ISBN 0-521-44998-7.
45. Allen, J. S.; Damasio, H.; Grabowski, T. J. (2002). "Normal neuroanatomical variation in the human brain: an MRI-volumetric study" (<https://semanticscholar.org/paper/97ba80fc802f5e29b06959700c9905d1e17a00da>). *American Journal of Physical Anthropology*. **118** (4): 341–358. doi:10.1002/ajpa.10092 (<https://doi.org/10.1002/ajpa.10092>). PMID 12124914 (<https://pubmed.ncbi.nlm.nih.gov/12124914/>).
46. "Evolution of Modern Humans: *Homo heidelbergensis*" (http://anthro.palomar.edu/homo2/mod_homo_1.htm). Behavioral Sciences Department, Palomar College. Retrieved 2012-12-01.
47. Carretero, José-Miguel; Rodríguez, Laura; García-González, Rebeca; Arsuaga, Juan-Luis; Gómez-Olivencia, Asier; Lorenzo, Carlos; Bonmatí, Alejandro; Gracia, Ana; Martínez, Ignacio (2012). "Stature estimation from complete long bones in the Middle Pleistocene humans from the Sima de los Huesos, Sierra de Atapuerca (Spain)" (https://eprints.ucm.es/26998/1/1-s2.0-S0047248411002193-_01.pdf) (PDF). *Journal of Human Evolution*. **62** (2): 242–55. doi:10.1016/j.jhevol.2011.11.004 (<https://doi.org/10.1016/j.jhevol.2011.11.004>). PMID 22196156 (<https://pubmed.ncbi.nlm.nih.gov/22196156/>). Lay summary (<https://www.sciencedaily.com/releases/2012/06/120606075323.htm>) – *ScienceDaily* (June 6, 2012).
48. Burger, Lee (November 2007). "Our Story: Human Ancestor Fossils" (<http://www.thenakedscientists.com/HTML/content/interviews/interview/833/>). The Naked Scientists.
49. "BBC - Science & Nature - The evolution of man" (http://www.bbc.co.uk/sn/prehistoric_life/human/human_evolution/first_europeans1.shtml).
50. The Mystery of the Pit of Bones, Atapuerca, Spain: Species *Homo heidelbergensis*. (<http://humanorigins.si.edu/resources/whats-hot/mystery-pit-bones-atapuerca-spain>) Smithsonian Institution. Retrieved December 15, 2011.
51. "*Homo heidelbergensis* - Eudald Carboneli et al. reported in the March 27, 2008 issue of Nature that a human jaw with a tooth dating 1.2-1.1 million years ago has been found in Sima del Elefante cave in the Atapuerca Mountains of Northern Spain" (http://anthro.palomar.edu/homo2/mod_homo_1.htm). palomar.edu. Retrieved October 29, 2015.
52. Martínez I, Rosa M, Arsuaga JL, Jarabo P, Quam R, Lorenzo C, Gracia A, Carretero JM, Bermúdez de Castro JM (2004). "Auditory capacities in Middle Pleistocene humans from the Sierra de Atapuerca in Spain" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC454200>). *Proceedings of the National Academy of Sciences*. **101** (27): 9976–81. Bibcode:2004PNAS..101.9976M (<https://ui.adsabs.harvard.edu/abs/2004PNAS..101.9976M>). doi:10.1073/pnas.0403595101 (<https://doi.org/10.1073/pnas.0403595101>). JSTOR 3372572 (<https://www.jstor.org/stable/3372572>). PMC 454200 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC454200>). PMID 15213327 (<https://pubmed.ncbi.nlm.nih.gov/15213327/>).

53. Lozano, Marina; Mosquera, Marina; De Castro, José María Bermúdez; Arsuaga, Juan Luis; Carbonell, Eudald (2009). "Right handedness of *Homo heidelbergensis* from Sima de los Huesos (Atapuerca, Spain) 500,000 years ago". *Evolution and Human Behavior*. **30** (5): 369–76. doi:10.1016/j.evolhumbehav.2009.03.001 (<https://doi.org/10.1016%2Fj.evolhumbehav.2009.03.001>).
54. Wilkins, Jayne; Schoville, Benjamin J.; Brown, Kyle S.; Chazan, Michael (2012). "Evidence for Early Hafted Hunting Technology" (<http://pdfs.semanticscholar.org/4370/03090b2cd28fa7c1b106556669c5c027bb50.pdf>) (PDF). *Science*. **338** (6109): 942–6. Bibcode:2012Sci...338..942W (<https://ui.adsabs.harvard.edu/abs/2012Sci...338..942W>). doi:10.1126/science.1227608 (<https://doi.org/10.1126%2Fscience.1227608>). PMID 23161998 (<https://pubmed.ncbi.nlm.nih.gov/23161998>). Lay summary (<https://www.theguardian.com/science/2012/nov/15/stone-spear-early-human-species>) – *The Guardian* (November 15, 2012).
55. "*Homo heidelbergensis* Oldest Wooden Spear" (<http://humanorigins.si.edu/evidence/behavior/food/oldest-wooden-spear>). Smithsonian Institution. 21 January 2010. Retrieved October 29, 2015.
56. "*Homo heidelbergensis* essay" (<http://www.becominghuman.org/node/homo-heidelbergensis-essay>). Institute of Human Origins. Retrieved October 29, 2015.
57. Roebroeks, Wil; Sier, Mark J.; Nielsen, Trine Kellberg; De Loecker, Dimitri; Parés, Josep Maria; Arps, Charles E. S.; Múcher, Herman J. (2012). "Use of red ochre by early Neandertals" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3277516>). *Proceedings of the National Academy of Sciences*. **109** (6): 1889–1894. Bibcode:2012PNAS..109.1889R (<https://ui.adsabs.harvard.edu/abs/2012PNAS..109.1889R>). doi:10.1073/pnas.1112261109 (<https://doi.org/10.1073%2Fpnas.1112261109>). PMC 3277516 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3277516>). PMID 22308348 (<https://pubmed.ncbi.nlm.nih.gov/22308348>).
58. Thieme, Hartmut; Maier, Reinhard (2005). "Archäologische Ausgrabungen im Braunkohlentagebau Schöningen. Landkreis Helmstedt, Hannover 1995. Hartmut Thieme: Die ältesten Speere der Welt – Fundplätze der frühen Altsteinzeit im Tagebau Schöningen." *Archäologisches Nachrichtenblatt*. **10**: 409–417.
59. Michael Baales, Olaf Jöris: *Zur Altersstellung der Schöninger Speere*. In: J. Burdukiewicz u. a. (Hrsg.): *Erkenntnisjäger. Kultur und Umwelt des frühen Menschen*. Veröffentlichungen des Landesamtes für Archäologie Sachsen-Anhalt 57, 2003 (Festschrift Dietrich Mania), S. 281–288.
60. Thieme H. 2007. Der große Wurf von Schöningen: Das neue Bild zur Kultur des frühen Menschen in: Thieme H. (ed.) 2007: *Die Schöninger Speere – Mensch und Jagd vor 400 000 Jahren*. S. 224–228 Konrad Theiss Verlag, Stuttgart ISBN 3-89646-040-4
61. Mithen, Steven (2006). *The Singing Neanderthals*, ISBN 978-0-674-02192-1
62. De Boer, Bart (2012-01-01). "Loss of air sacs improved hominin speech abilities". *Journal of Human Evolution*. **62** (1): 1–6. doi:10.1016/j.jhevol.2011.07.007 (<https://doi.org/10.1016%2Fj.jhevol.2011.07.007>). ISSN 0047-2484 (<https://www.worldcat.org/issn/0047-2484>). PMID 22078314 (<https://pubmed.ncbi.nlm.nih.gov/22078314>).
63. Lozano, Marina; Mosquera, Marina; De Castro, José María Bermúdez; Arsuaga, Juan Luis; Carbonell, Eudald (2009-09-01). "Right handedness of *Homo heidelbergensis* from Sima de los Huesos (Atapuerca, Spain) 500,000 years ago". *Evolution and Human Behavior*. **30** (5): 369–376. doi:10.1016/j.evolhumbehav.2009.03.001 (<https://doi.org/10.1016%2Fj.evolhumbehav.2009.03.001>). ISSN 1090-5138 (<https://www.worldcat.org/issn/1090-5138>).
64. Martínez, I.; Rosa, M.; Quam, R.; Jarabo, P.; Lorenzo, C.; Bonmatí, A.; Gómez-Olivencia, A.; Gracia, A.; Arsuaga, J.L. (2013-05-08). "Communicative capacities in Middle Pleistocene humans from the Sierra de Atapuerca in Spain". *Quaternary International*. **295**: 94–101. Bibcode:2013QuInt.295...94M (<https://ui.adsabs.harvard.edu/abs/2013QuInt.295...94M>). doi:10.1016/j.quaint.2012.07.001 (<https://doi.org/10.1016%2Fj.quaint.2012.07.001>). ISSN 1040-6182 (<https://www.worldcat.org/issn/1040-6182>).

65. Gracia-Téllez, Ana; Arsuaga, Juan-Luis; Martínez, Ignacio; Martín-Francés, Laura; Martínón-Torres, María; Bermúdez De Castro, José-María; Bonmatí, Alejandro; Lira, Jaime (2013-05-08). "Orofacial pathology in Homo heidelbergensis: The case of Skull 5 from the Sima de los Huesos site (Atapuerca, Spain)". *Quaternary International*. **295**: 83–93. Bibcode:2013QuInt.295...83G (<https://ui.adsabs.harvard.edu/abs/2013QuInt.295...83G>). doi:10.1016/j.quaint.2012.02.005 (<https://doi.org/10.1016%2Fj.quaint.2012.02.005>). ISSN 1040-6182 (<https://www.worldcat.org/issn/1040-6182>).
66. DeCroos, FC; Liao, JC; Ramey, NA; Li, I (2011-08-15). "Management of Odontogenic Orbital Cellulitis" (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3168817>). *Journal of Medicine and Life*. **4** (3): 314–317. ISSN 1844-122X (<https://www.worldcat.org/issn/1844-122X>). PMC 3168817 (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3168817>). PMID 22567060 (<http://pubmed.ncbi.nlm.nih.gov/22567060>).
67. Ascaso, F.; Adiego, M.I. (2016-09-14). "Homo heidelbergensis: the oldest case of odontogenic orbital cellulitis?". *Acta Ophthalmologica*. **94**. doi:10.1111/j.1755-3768.2016.0022 (<https://doi.org/10.1111%2Fj.1755-3768.2016.0022>). ISSN 1755-375X (<https://www.worldcat.org/issn/1755-375X>).

Further reading

- Avery, D. Margaret. 2018. "Micromammals from the Type Site of Broken Hill Man (Homo Rhodesiensis) near Kabwe, Zambia: A Historical Note." *Historical Biology* 30 (1–2): 276–83. <https://doi.org/10.1080/08912963.2017.1297434>.^[1]
- Back ache: it's been a pain for millions of years - University of Cambridge (<http://www.cam.ac.uk/research/news/back-ache-it%E2%80%99s-been-a-pain-for-millions-of-years>)
- Friess, Martin. 2010. "Calvarial Shape Variation among Middle Pleistocene Hominins: An Application of Surface Scanning in Palaeoanthropology." *Comptes Rendus Palevol, Imaging & 3D in palaeontology and palaeoanthropology*, 9 (6): 435–43. <https://doi.org/10.1016/j.crpv.2010.07.016>.^[2]
- Godinho, Ricardo Miguel, Laura C. Fitton, Viviana Toro-Ibacache, Chris B. Stringer, Rodrigo S. Lacruz, Timothy G. Bromage, and Paul O'Higgins. 2018. "The Biting Performance of Homo Sapiens and Homo Heidelbergensis." *Journal of Human Evolution* 118 (May): 56–71. <https://doi.org/10.1016/j.jhevol.2018.02.010>.^[3]
- Hublin, Jean-Jacques, Abdelouahed Ben-Ncer, Shara E. Bailey, Sarah E. Freidline, Simon Neubauer, Matthew M. Skinner, Inga Bergmann, et al. 2017. "New Fossils from Jebel Irhoud, Morocco and the Pan-African Origin of *Homo Sapiens*." *Nature* 546 (7657): 289–92. <https://doi.org/10.1038/nature22336>.^[4]
- Murrill, Rupert I. (1975). "A comparison of the Rhodesian and Petralona upper jaws in relation to other Pleistocene hominids". *Zeitschrift für Morphologie und Anthropologie*. **66** (2): 176–187. PMID 806185 (<https://pubmed.ncbi.nlm.nih.gov/806185>).
- Murrill, Rupert Ivan (1981). Ed. Charles C. Thomas (ed.). *Petralona Man. A Descriptive and Comparative Study, with New Information on Rhodesian Man*. Springfield, Illinois: Thomas. ISBN 978-0-398-04550-0.
- Perner, Josef, and Frank Esken. 2015. "Evolution of Human Cooperation in Homo Heidelbergensis: Teleology versus Mentalism." *Developmental Review, Theories of development*, 38 (December): 69–88. <https://doi.org/10.1016/j.dr.2015.07.005>.^[5]
- Reich, David (2018). *Who We Are And How We Got Here - Ancient DNA and the New Science of the Human Past*. Pantheon Books. ISBN 978-1101870327.^[6]
- Rice, Stanley (2006). *Encyclopedia of Evolution*. Facts on File, Inc.
- Sauer, A. (1985). *Erläuterungen zur Geol. Karte 1 : 25 000 Baden-Württ.* Stuttgart.
- Schoetensack, O. (1908). *Der Unterkiefer des Homo heidelbergensis aus den Sanden von Mauer bei Heidelberg*. Leipzig: Wilhelm Engelmann.

- Singer Robert R. and J. Wymer (1968). "Archaeological Investigation at the Saldanha Skull Site in South Africa". *The South African Archaeological Bulletin*. **23** (3): 63–73. doi:10.2307/3888485 (<https://doi.org/10.2307%2F3888485>). JSTOR 3888485 (<https://www.jstor.org/stable/3888485>).
- Studies on the condition and structure of bone of the Saldanha fossil cranium (<http://onlinelibrary.wiley.com/doi/10.1002/ajpa.1330500410/abstract>)
- Weinert, Hans (1937). "Dem Unterkiefer von Mauer zur 30jährigen Wiederkehr seiner Entdeckung". *Zeitschrift für Morphologie und Anthropologie* (in German). **37** (1): 102–13. JSTOR 25749563 (<https://www.jstor.org/stable/25749563>).
- Woodward, Arthur Smith (1921). "A New Cave Man from Rhodesia, South Africa" (<https://doi.org/10.1038/108371a0>). *Nature*. **108** (2716): 371–372. Bibcode:1921Natur.108..371W (<https://ui.adsabs.harvard.edu/abs/1921Natur.108..371W>). doi:10.1038/108371a0 (<https://doi.org/10.1038%2F108371a0>).

External links

- *Homo heidelbergensis* (<http://humanorigins.si.edu/evidence/human-fossils/species/homo-heidelbergensis>) – The Smithsonian Institution's Human Origins Program
 - Theme park: The Grafenrain sand mine (<http://www.themenpark-umwelt.baden-wuerttemberg.de/servlet/is/19968/?path=4422;6277;19900;>)
 - homepage of Mauer 1 Club (<http://www.homoheidelbergensis.de/>)
 - UNESCO World Heritage Centre - Archaeological Site of Atapuerca (<https://whc.unesco.org/en/list/989>)
 - Human Timeline (Interactive) (<http://humanorigins.si.edu/evidence/human-evolution-timeline-interactive>) – Smithsonian, National Museum of Natural History (August 2016).
 - "Kabwe 1" (<http://humanorigins.si.edu/evidence/human-fossils/fossils/kabwe-1>). The Smithsonian Institution's Human Origin Program. 2010-01-30. Retrieved 2 November 2010.
 - Human Timeline (Interactive) (<http://humanorigins.si.edu/evidence/human-evolution-timeline-interactive>) – Smithsonian, National Museum of Natural History (August 2016).
1. Avery, D. Margaret (March 2017). "Micromammals from the type site of Broken Hill Man (*Homo rhodesiensis*) near Kabwe, Zambia: a historical note". *Historical Biology*. **30** (1–2): 276–283. doi:10.1080/08912963.2017.1297434 (<https://doi.org/10.1080%2F08912963.2017.1297434>). ISSN 0891-2963 (<https://www.worldcat.org/issn/0891-2963>).
 2. Friess, Martin (2010-09-01). "Calvarial shape variation among Middle Pleistocene hominins: An application of surface scanning in palaeoanthropology". *Comptes Rendus Palevol*. **9** (6–7): 435–443. doi:10.1016/j.crpv.2010.07.016 (<https://doi.org/10.1016%2Fj.crpv.2010.07.016>). ISSN 1631-0683 (<https://www.worldcat.org/issn/1631-0683>).
 3. Godinho, Ricardo Miguel; Fitton, Laura C.; Toro-Ibacache, Viviana; Stringer, Chris B.; Lacruz, Rodrigo S.; Bromage, Timothy G.; O'Higgins, Paul (2018-05-01). "The biting performance of *Homo sapiens* and *Homo heidelbergensis*" (http://eprints.whiterose.ac.uk/153918/1/Godinho_et_al_The_biting_performance_of_Homo_sapiens_and_Homo_heidelbergensis_Accepted_SOM.pdf) (PDF). *Journal of Human Evolution*. **118**: 56–71. doi:10.1016/j.jhevol.2018.02.010 (<https://doi.org/10.1016%2Fj.jhevol.2018.02.010>). ISSN 0047-2484 (<https://www.worldcat.org/issn/0047-2484>). PMID 29606203 (<https://pubmed.ncbi.nlm.nih.gov/29606203>).
 4. Hublin, Jean-Jacques; Ben-Ncer, Abdelouahed; Bailey, Shara E.; Freidline, Sarah E.; Neubauer, Simon; Skinner, Matthew M.; Bergmann, Inga; Le Cabec, Adeline; Benazzi, Stefano (2017-06-07). "New fossils from Jebel Irhoud, Morocco and the pan-African origin of *Homo sapiens*" (http://kar.kent.ac.uk/62267/1/Submission_288356_1_art_file_2637492_j96j1b.pdf) (PDF). *Nature*. **546** (7657): 289–292. Bibcode:2017Natur.546..289H (<https://ui.adsabs.harvard.edu/abs/2017Natur.546..289H>). doi:10.1038/nature22336 (<https://doi.org/10.1038%2Fnature22336>).

336). ISSN 0028-0836 (<https://www.worldcat.org/issn/0028-0836>). PMID 28593953 (<https://pubmed.ncbi.nlm.nih.gov/28593953>).

5. Perner, Josef; Esken, Frank (2015-12-01). "Evolution of human cooperation in *Homo heidelbergensis*: Teleology versus mentalism". *Developmental Review*. **38**: 69–88. doi:10.1016/j.dr.2015.07.005 (<https://doi.org/10.1016%2Fj.dr.2015.07.005>). ISSN 0273-2297 (<https://www.worldcat.org/issn/0273-2297>).
6. Diamond, Jared (April 20, 2018). "A Brand-New Version of Our Origin Story" (<https://www.nytimes.com/2018/04/20/books/review/david-reich-who-we-are-how-we-got-here.html>). *The New York Times*. Retrieved April 23, 2018.

Retrieved from "https://en.wikipedia.org/w/index.php?title=Homo_heidelbergensis&oldid=967338346"

This page was last edited on 12 July 2020, at 17:32 (UTC).

Text is available under the [Creative Commons Attribution-ShareAlike License](#); additional terms may apply. By using this site, you agree to the [Terms of Use](#) and [Privacy Policy](#). Wikipedia® is a registered trademark of the [Wikimedia Foundation, Inc.](#), a non-profit organization.